

- , 2013.
- , 2013:1-4.
- , [www.bjob.files.wordpress.com/2008/10](http://www.bjob.files.wordpress.com/2008/10).
- , 2004; 11(2):25-31.
- . 2001; 9 (1): 18-21.
- 2/2009.
- Abrams RC**, Alexopoulos GS, Young RC. Geriatric depression and DSM-III R personality disorder criteria. *JAm Geriatr Soc*. 1987; 35:383-386.
- AHA Science Advisory** Depression and Coronary Heart Disease. Recommendations for Screening, Referral, and Treatment: A Science Advisory From the American Heart Association Prevention Committee of the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care and Outcomes Research: Endorsed by the American Psychiatric Association. American Heart Association, Inc. *Circulation*. 2008; 118:1768-1775.0 2008
- Alexander GE**, Crutcher **MD**. Functional architecture of basal ganglia circuits: neural substrates of parallel processing. *Trends Neurosci*. 1990; 13:266-271.
- Alexopoulos GS**. Role of executive function in late-life depression. *J Clin Psychiatry*. 2003; 64:18-23.
- Alexopoulos GS**. Depression in elderly. *Lancet*. 2005; 365:1961-1970.
- Alexopolous G**, Kelly R. Research advances in geriatric depression. *Focus Winter*. 2013; 11(1): 107-117.
- Alexopoulos GS**, Meyers BS, Young RC. The course of geriatric depression with "reversible dementia": a controlled study. *Am J Psychiatry*. 1993; 150:1693-1699.
- Alexopoulos GS**, Meyers BS, Young RC, Campbell S, Silbersweig **D**, Charlson M. 'Vascular depression' hypothesis. *Arch Gen Psychiatry*. 1997Oct; 54( 10):915-22. doi:10.1001/archpsyc.1997.01830220033006.
- Alexopoulos GS**, Vrontou C, Kakuma T. Disability in geriatric depression. *Am J Psychiatry*. 1996; 153:877-885.

**Alexopoulos GS**, Young RC, Meyers BS. Geriatric depression: age of onset and dementia. *Biol Psychiatry*. 1993; 34:141-145.

**Alexopoulos GS**, Young RC, Shindedecker RD. Brain computed tomography findings in geriatric depression and primary degenerative dementia. *Biol Psychiatry*. 1992; 31:591-599.

**Albinet CT**, Boucard G, Bouquet CA, Audiffren M. Processing speed and executive functions in cognitive aging: how to disentangle their mutual relationship? *Brain Cogn*. 2012 Jun; 79(1): 1-11.

**American Psychiatric Association**: Diagnostic and Statistical Manual of Mental Disorders (DSM-5), 5<sup>th</sup> edn. Washington, DC, American Psychiatric Publishing, 2013.

**Andrews -Hanna JR**. The Brain's Default Network and its Adaptive Role in Internal Mentation. *Neuroscientist*. 2012 June; 18(3): 251-270. doi: 10.1177/1073858411403316.

**Andreescu C**, Butters MA, Begley A, Rajji T, Wu M, Meltzer CC, Reynolds CF 3rd, Aizenstein H. Gray matter changes in late life depression—a structural MRI analysis. *Neuropsychopharmacol*. 2008; 33(11):2566—2572.

**Andrews -Hanna JR**, Reidler JS, Sepulcre J, Poulin R, Buckner RL. Functional-anatomic fractionation of the brain's default network. *Neuron*. 2010; 65(4): 550-562.

**Anfossi G, Trovati M**. Role of catecholamines in platelet function: pathophysiological and clinical significance. *Eur J Clin Invest*. 1996; 26:353-370.

**Angst J**. Major depression in 1998: are we providing optimal therapy? *J Clin Psychiatry*, 1999; 60 (6): 5 -9.

**Apostolova LG**, Cummings JL. Neuropsychiatric manifestations in mild cognitive impairment: a systematic review of the literature. *Dement Geriatr Cogn Disord*. 2008; 25(2): 115-126.

**Arborelius L**, Owens M, Plotsky, Nemeroff C. The role of corticotropin-releasing factor in depression and anxiety disorders. *J Endocrinol*. 1999; 160:1-12.

**Arnaoudova M**, Todorova K. Diagnosis and assessment of depression in elderly patients with vascular cognitive disorder. 22<sup>nd</sup> European Congress of psychiatry 1-4 March, 2014, Munich, Germany. E-poster Walk Presentations. Geriatric psychiatry 2.

**Armstrong T**, Olatunji BO. Eye Tracking of Attention in the Affective Disorders: A Meta-Analytic Review and Synthesis. *Clin Psychol Rev*. 2012; 32: 704-723. <http://dx.doi.org/10.1016/j.cpr.2012.09.004>

**Baldwin RC**. Is vascular depression a distinct subtype of depressive disorder? A review of causal evidence. *Int J Geriatr Psychiatry*. 2005; 20: 1-11.

**Baldwin RC**. *Depression in Later Life*. Oxford University Press 2014. ISBN 978-0-19-967163-2.

**Baldwin RC**, Chiu E, Katona C, Graham N. *Guidelines on depression in older people. Practising the Evidence*. Martin Dunitz, 2002, ISBN 1-84184-260-5.

- Banerjee S**, Hellier J, Dewey M, et al. Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. *Lancet*. 2011; 378:403-411.
- Bassuk SS**, Berkman LF, Wypij D. Depressive symptomatology and incident cognitive decline in an elderly community sample. *Arch Gen Psychiatry*. 1998; 55:1073-1081.
- Baudic S**, Tzortzis C, Barba GD, Traykov L. Executive Deficits in Elderly Patients With Major Unipolar Depression. *J Geriatr Psychiatry Neurol*. 2004; 17:195-201.
- Baune BT**, Suslow T, Engelien A, Arolt V, Berger K. The Association between Depressive Mood and Cognitive Performance in an Elderly General Population—The MEMO Study. *Dement Geriatr Cogn Disord*. 2006; 22:142-149.
- Beck AT**. *Depression: Causes and Treatment*. Philadelphia: University of Pennsylvania Press, 1972. ISBN 0-8122-1032-8.
- Beck AT**. Cognitive model of depression. *J Cogn Psychother*. 1987; 1:2-27
- Becker JT**, Chang YF, Lopez OL, Dew MA, Sweet RA, Barnes D, et al. Depressed Mood is not a Risk Factor for Incident Dementia in a Community-Based Cohort. *Am J Geriatr Psychiatry*. 2009 August; 17(8): 653-663.
- Bell-McGinty S**, Butters MA, Meltzer CC, Greer PJ, Reynolds CF 3rd, Becker T. Brain morphometric abnormalities in geriatric depression: long-term neurobiological effects of illness duration. *Am J Psychiatry*. 2002; 159(8): 1424-1427.
- Bell-McGinty S**, Lopez OL, Meltzer CC, Scanlon JM, Whyte EM, DeKosky ST, et al. Differential cortical atrophy in subgroups of mild cognitive impairment. *Arch Neurol*. 2005; 62:1393-1397.
- Benazzi F**. Early onset vs late onset non-psychotic, nonmelancholic unipolar depression. *Int J Geriatr Psychiatry*. 2004; 19:701-703.
- Benjamin S**, Steffens DC. Structural Neuroimaging of Geriatric Depression. *Psychiatr Clin North Am*. 2011 Jun; 34(2): 423-435, ix. doi: 10.1016/j.psc.2011.02.001
- Berg EA**. A simple objective technique for measuring flexibility in thinking. *J Gen Psychol*. 1948;39:15-22.
- Bhalla RK**, Butters MA. Cognitive functioning in late-life depression. *BCM J*. 2011 Sep; 53 (7): 357-360.
- Bhalla RK**, Butters MA, Mulsant BF1, et al. Persistence of neuropsychological deficits in the remitted state of late-life depression. *Am J Gen Psychiatry*. 2006; 14(5):419—427.
- Bhardwaj A**, Wilkinson P, Srivastava C, Shanna M. Cognitive Deficits in Euthymic Patients with Recurrent Depression. *JNeurol Med Dis*. 2010; 198:513-515.
- Blazer D**. Psychiatry and the oldest old. *Am J Psychiatry*. 2000; 157:1915-1924.

- Blazer D**, Burchett , Fillenbaum G. 4 and low cholesterol as risks for depression in a biracial elderly community sample. *Am J Geriatr Psychiatry*. 2002; 10:515-520.
- Blazer DG**, Hybels CF. Origins of depression in later life. *Psychological. Med*. 2005; 35:1-12. doi: 10.1017/S0033291705004411
- Blazer D**, Williams CD. Epidemiology of dysphoria and depression in an elderly population. *Am J Psychiatry*. 1980; 137(4):439-444.
- Blow FC**, Serras AM, Barry KL. Late-life depression and alcoholism. *Curr Psychiatry Rep*. 2007 Feb; 9(1):568-578.
- Bogousslavsky J**, Regli F. Anterior cerebral territory infarction in the Lausanne Stroke Registry: clinical and etiologic patterns. *Arch Neurol*. 1990;47:144-150.
- Bos EH**, Bouhuys A, Geerts E, van Os TWDP, van der Spoel ID, Brouwer, et al. Cognitive, physiological, and personality correlates of recurrence of depression. *J Affect Disord*. 2005; 87: 221-229.
- Bradley BP**, Mogg K, Millar N. Implicit memory bias in clinical and non-clinical depression. *Behav Res Ther*. 1996 Nov-Dec; 34(11-12):865-879.
- Bressler SL**, Menon V. Large-scale brain networks in cognition: emerging methods and principles. *Trends Cogn Sci*. 2010; 14(6):277-290.
- Brodaty H**, Luscombe G, Parker G, et al. Early and late onset depression in old age, different aetiologies, same phenomenology. *J Affect Disord*. 2001; 66(2, 3):225-236.
- Bromet EJ**, Schwartz JE, Fennig S, Geller L, Jandorf L, Kovasznay B, et al. The epidemiology of psychosis: The Suffolk County Mental Health Project. *Schizophr Bull*. 1992; 18:243-255.
- Brown GW**, Harris TO. *The social origins of depression*. Tavistock, London, 1978.
- Bruce M**. Psychosocial risk factors for depressive disorders in late life. *Biol Psychiatry*. 2002; 52:175-184.
- Bryan J**, Luszcz MA. Measures of fluency as predictors of incidental memory among older adults. *Psychol Aging*. 2000; 15(3): 483-489.
- Buckner RL**, Andrews-Hanna JR, Schacter DL. The brain's default network: anatomy, function, and relevance to disease. *Ann N Y Acad Sci*. 2008; 1124:1-38.
- Bukh JD**, Bock C, Vinberg M, Gether U, Kessing LV. Differences Between Early and Late Onset Adult Depression. *Clin Pract Epidemiol Ment Health*. 2011; 7:140-147.
- Bush G**. Attention-Deficit/Hyperactivity Disorder and Attention Networks. *Neuropsychopharmacol*. 2010; 35:278-300.
- Butters MA**, Becker JT, Nebes RT, et al. Changes in cognitive functioning following treatment of late-life depression. *Am J Psychiatry*. 2000; 157:1949-1954.
- Butters MA**, Whyte EM, Nebes RD, Begley MA, Dew MA, Mulsant BH, et al. The Nature and Determinants of Neuropsychological Functioning in Late-Life Depression. *JAMA Psychiatry*. 2004; 61:587-595.

- Butters** , Young JB, Lopes O, Aizenstein , Mulsant , Reynolds , DeKosky ST, Becker JT. Pathways linking late-life depression to persistent cognitive impairment and dementia. *Dialogues Clin Neurosci*. 2008; 10 (3): 345-357.
- Campbell JJ**, Tisher A. Clinical Assessment of Dysexecutive Syndromes. *Psychiatric times*, April 18, 2014.
- Cannon WB**. *Bodily Changes in Pain, Hunger, Fear and Rage*. New York, NY: D. Appleton & Company; 191517.03.2010,- Internet Archive BookReader; <https://archive.org/details/cu31924022542470>
- Canuto A**, Giannakopoulos P, Meiler-Mititelu C, Delaloye C, Herrmann FR, Weber K. Personality traits influence clinical outcome in day hospital- treated elderly depressed patients. *Am J Geriatr Psychiatry*. 2009; 17(4): 335-343.
- Canuto A**, Giannakopoulos P, Moy G, Rubio MM, Ebbing K, Meiler-Mititelu C, et al. Neurocognitive deficits and personality traits among euthymic patients with mood disorders in late life. *J Neurol Sci*. 2010; 299( 1-2): 24-29.
- Carlin D**, Bonerba J, Phipps MM, et al. Planning impairments in frontal lobe dementia and frontal lobe lesion patients. *Neuropsychologia*. 2000;38:655-665.
- Carmelli D**, Reed T, de Carli C. A bivariate genetic analysis of cerebral white matter hyperintensities and cognitive performance in elderly male twins. *Neurobiol Ageing*. 2002; 23:413-420.
- Chabriat H**, Bousser MG. CADASIL. Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy. *AdvNeurol*. 2003; 92:147-150.
- Chenderek RM**, Podesa DM, Nanu PD, Mila C, Piroş L, Manasra M. Psychosocial factors in late life depression. *JMA*. 2009; 12(1): 12-16.
- Chui H**. Neuropathology lessons in vascular dementia. *Alzheimer Dis Assoc Disord*. 2005; 19:45-52.
- Chunming Xie**, Wenjun Li, Gang Chen, B. Douglas Ward, Malgorzata B. Franczak, Jennifer L. Jones, Piero G. Antuono, Shi-Jiang Li, and Joseph S. Goveas. Late-life depression, mild cognitive impairment and hippocampal functional network architecture. *Neuroimage Clin*. 2013; 3:311-320.
- Clark D**, Beck AT, Brown G. Sociotropy, autonomy, and life event perceptions in dysphoric and nondysphoric individuals. *Cogn Ther Res*. 1992; 16:635-652.
- Cleland JA**, Lee AJ, Hall S. Associations of depression and anxiety with gender, age, health-related quality of life and symptoms in primary care COPD patients. *Fam Pract* 2007; 24:217-223.
- Cole MG**, Dendukuri N. Risk factors for elderly community subjects: a systematic review and meta- analysis. *Am J Psychiatry*. 2003; 160: 1147-1156.
- Coleman A**. *A Dictionary of Psychology* (3 ed.). Oxford University Press, 2008.

**Craig TJ**, Grossman S, Bromet EJ, Fochtmann LJ, Carlson GA. Medication use patterns and two-year outcome in first-admission patients with major depressive disorder with psychotic features. *Compr Psychiatry*. 2007; 48: 497-503.

**Crocco EA**, Castro K, Loewenstein, DA. How Late-Life Depression Affects Cognition: Neural Mechanisms. *Curr Psychiatry Rep*. 2010; 12:34-38.

**Czeh B**, Michaelis T, Watanabe T, Frahm J, de Biurrun G, van Kampen M, Bartolomucci A, Fuch E. Stress-induced changes in cerebral metabolites, hippocampal volume, and cell proliferation are prevented by antidepressant treatment with tianeptine. *Proceedings of the National Academy of Sciences USA* 2001; 98: 12320-12322.

**de Leeuw FE**, De Groot JC, Oudkerk M, et al. Alzheimer's disease—one clinical syndrome, two radiological expressions: a study on blood pressure. *J Neurol Neurosurg Psychiatry*. 2004; 75:1270-1274.

**Depression and Heart disease**, ppt UKCVGR 2010-05-27, [www.mc.uky.edu](http://www.mc.uky.edu)

**Desmond DW**, Moroney JT, Sano M, Stem Y, et al. Incidence of dementia after ischemic stroke: results of a longitudinal study. *Stroke*. 2002; 33: 2254-2260.

**Devanand DP**, Pradhaban G, Liu X, Khandji A, De Santi S, Segal S, et al. Hippocampal and entorhinal atrophy in mild cognitive impairment: prediction of Alzheimer disease. *Neurolog*'. 2007; 68(11):828-836.

**Devanand DP**, Sano M, Tang MX, et al. Depressed mood and the incidence of Alzheimer's disease in the elderly living in the community. *Arch Gen Psychiatry*. 1996; 53(2): 175-182.

**Dhondt TDF**, Beekman ATF, Deeg DJH, van Tilburg W. Iatrogenic depression in the elderly. Results from a community- based study in the Netherlands. *Soc Psychiatry Psychiatr Epidemiol*. 2005; 37(1-3): 393-398.

**Dichgans M**. CADASIL: a monogenic condition causing stroke and subcortical vascular dementia. *Cerebrovasc Dis*. 2002; 13(2): 37-41.

**Diniz BS**, Butters MA, Albert SM, Dew MA, Reynolds 3rd CF. Late-life depression and risk of vascular dementia and Alzheimer's disease: systematic review and meta-analysis of community-based cohort studies. *BJP*. 2013; 202:329-335.

**Diniz BS**, Reynolds CF 3rd, Butters MA, Dew MA, Firmo JO, Lima-Costa MF, Castro-Costa E. The effect of gender, age, and symptom severity in late-life depression on the risk of all-cause mortality: the bambui cohort study of aging. *Depress Anxiety*. 2014 Sep; 31(9):787-795; doi: 10.1002/da.22226.

**Diniz BS**, Reynolds CF 3rd. Major Depressive Disorder in Older Adults: Benefits and Hazards of Prolonged Treatment. *Drugs Aging*. 2014 Sep; 31(9):661-669. doi: 10.1007/s40266-014-0196-y.

**Dolder C**, Nelson M, Stump A. Pharmacological and clinical profile of newer antidepressants: implications for the treatment of elderly patients. *Drugs Aging*. 2010; 27:625-640.

- Dotson VM**, Resnick SM, Zondennan AB. Differential association of concurrent, baseline, and average depressive symptoms with cognitive decline in older adults. *Am J Geriatr Psychiatry*. 2008; 16(4):318—330.
- Duberstein PR**, Pålsson SP, Waem, Skoog I. Personality and risk for depression in a birth cohort of 70-year-olds followed for 15years. *Psychol Med*. 2008; 38(5): 663-671.
- Duman RS**, Monteggia LM. A neurotrophic model for stress related mood disorders. *Biol Psychiatry* 2006; 59: 1116-1127.
- Dwivedi Y**. Involvement of Brain-Derived Neurotrophic Factor in Late-Life Depression. *Am J Geriatr Psychiatry*. 2013 May;21(5):433-449. doi: 10.1016/j.jagp.2012.10.026
- Dybedal GS**, Tanum L, Sundet K, Gaarden TL, Bjolseth TM. Neuropsychological functioning in late-life depression. *Front Psychol*. 2013 Jun 27; 4:381. doi: 10.3389/fpsyg.2013.00381.
- El Haj M**, Allain P. What Do We Know about the Relationship between Source Monitoring Deficits and Executive Dysfunction? *Neuropsychol Rehabil*. 2012; 22:449-472.
- Elinson L**, Houck P, Marcus SC, Pincus HA. Depression and the ability to work. *Psychiatr Serv*. 2004; 55: 29-34.
- Elliot R**, Lythe K, Lee R, McKie S, Juhasz G, Thomas EJ, Downey D, Deakin JF, Anderson IM. Reduced medial prefrontal responses to social interaction images in remitted depression. *Arch Gen Psychiatry*. 2012; 69(1): 37-45.
- Espinoza R**, Unützer J. Diagnosis and management of late-life unipolar depression UpToDate, Jan 2015. <http://www.uptodate.com/>
- Espinoza R**, Kaufman A. Diagnosis and management of late-life depression Rheumatology Network, Oct 2014. <http://www.rheumathologynetwork.com>
- Eysenck M**, Derakshan N, Santos R, Clavo MG. Anxiety and Cognitive Performance: Attentional Control Theory. *Emotion*. 2007;7:336-353. <http://dx.doi.org/10.1037/1528-3542.7.2.336>
- Farb NA**, Anderson AK, Bloch RT, Segal ZV. Mood linked responses in medial prefrontal cortex predict relapse in patients with recurrent unipolar depression. *Biol Psychiatry*. 2011; 70(4):366-372.
- Fonagy P**, Gergely G, Jurist E Target M. *Affect Regulation, Mentalization, and the Development of the Self*. Other Press, LLC, 2002.
- Forlani C**, Morri M, Ferrari B, Dalmonte E, Menchetti M, De Ronchi D, Atti AR. Prevalence and gender differences in late-life depression: a population-based study. *Am J Geriatr Psychiatry*. 2014Apr; 22(4)370-380. doi: 10.1016/j.jagp.2012.08.015.
- Fritzsche A**, Dahme B, Gotlib IH, Joannann J, Magnussen H, Watz H, Nutzinger DO, von Leupoldt A. Specificity of cognitive biases in patients with current depression and remitted depression and in patients with asthma. *Psychol Med*. 2010; 40 (5): 815-826.

**Fuster JM.** *The Prefrontal Cortex: Anatomy, Physiology and Neuropsychology of the Frontal Lobe.* Philadelphia: Lippincott-Raven; 1997.

**Fuster JM.** The prefrontal cortex—an update: time is of the essence. *Neuron.* 2001; 30:319-333.

**Ganguli M, Du Y, Dodge HH, et al.** Depressive symptoms and cognitive decline in late life. *Arch Gen Psychiatry.* 2006; 63:153—160.

**Geerlings MI, Schmand B, Braam AW, et al.** Depressive symptoms and risk of Alzheimer's disease in more highly educated older people. *J Am Geriatr Soc.* 2000; 48(9):1092-1097.

**Gibel A, Ritsner MS.** Neurocognitive effects of ziprasidone and related factors in patients with chronic schizophrenia undergoing usual care: A 12-month, open-label, flexible-dose, naturalistic observational trial. *Clin Neuropharmacol.* 2008; 31:204-220.

**Gilbody S, Richards D, Brealey S, Hewitt C.** Screening for depression in medical settings with the Patient Health Questionnaire (PHQ): a diagnostic meta-analysis. *J Gen Intern Med.* 2007; 22:1596-1602.

**Gold PW, Chrousos GP.** Organization of the stress system and its dysregulation in melancholic and atypical depression: High vs. low CRH/NE states. *Mol Psychiatry.* 2002; 7:254-275.

**Gorelick PB, Scuteri A, Black SE, Decarli C, Greenberg SM, Iadecola C, Launer LJ, Laurent S, Lopez OL, Nyenhuis D, Petersen RC, Schneider JA, Tzourio C, Arnett DK, Bennett DA, Chui HC, Higashida RT, Lindquist R, Nilsson PM, Roman GC, Sellke FW, Seshadri S; and on behalf of the American Heart Association Stroke Council, Council on Epidemiology and Prevention, Council on Cardiovascular Nursing, Council on Cardiovascular Radiology and Intervention, Council on Cardiovascular Surgery and Anesthesia.** *Stroke.* 2011 Sep; 42(9):2672-713. doi: 10.1161/STR.0b013e3182299496.

**Gottfries C.** Neurochemical aspects on aging and diseases with cognitive impairment. *J Neurosci Res.* 1990;27:541-547.

**Gould E, Reeves A, Graziano M, Gross C.** Neurogenesis in the neocortex of adult primates. *Science.* 1999; 286: 548-552.

**Goveas J, Xie C, Wu Z, Ward BD, Li W, Franczak MB, et al.** Neural Correlates of the Interactive Relationship between Memory Deficits and Depressive Symptoms in Nondemented Elderly: Resting fMRI Study. *Behav Brain Res.* 2011 Jun; 219(2): 205-212. doi: 10.1016/j.bbr.2011.01.008

**Grace J, O'Brien JT.** Association of life events and psychosocial factors with early but not late onset depression in the elderly: implications for possible differences in aetiology. *Int J Geriatr Psychiatry.* 2003; 18(6):473—478.

**Green RC, Cupples LA, Kurz A, et al.** Depression as a risk factor for Alzheimer's disease. The MIRAGE Study. *Arch Neurol.* 2003; 60:753-759.



- Grimm S**, Boesiger , Beck J, et al. Altered negative BOLD responses in the default mode network during emotion processing in depressed subjects. *Neuropsychopharmacol.* 2009; 34(4):932-843.
- Gualtieri CT**, Johnson LG, Benedict KB. Neurocognition in depression: Patients on and off medication versus healthy comparison subjects. *JNeuropsychiatr Clin Neurosci.* 2006; 18: 217-225.
- Hamilton JP**, Furman DJ, Chang C, Thomason ME, Dennis E, Gotlib IH. Default mode and task-positive network activity in major depressive disorder: implications for adaptive and maladaptive rumination. *Biol Psychiatry.* 2011; 70(4):327-333.
- Hammar A**, Lund A, Hugdahl K. Long-lasting cognitive impairment in unipolar major depression: A 6-month follow-up study. *Psychiatry Res.* 2003; 118:189-196.
- Hammen C**, Ellicott A, Gitlin M, Jamison KR. Sociotropy/autonomy and vulnerability to specific life events in patients with unipolar depression and bipolar disorders. *JAbnorm Psychol.* 1989; 98:154-160.
- Hare D**, Toukhsati S, Johansson P, Jaarasma T. Depression and cardiovascular disease: a clinical review. *Eur Heart J.* 2014 Jun 1 ;35(21): 1365-1372. doi: 10.1093/eurheartj/eh462
- Harkness K**, Monroe SM, Simons AD, Thase M. The generation of life events in recurrent and non- recurrent depression. *Psychol Med.* 1999; 29:135-144.
- Hartlage S**, Alloy LB, Vazquez C, Dykman B. Automatic and Effortful Processing in Depression. *Psychol Bull.* 1993; 113:247-278. <http://dx.doi.org/10.1037/0033-2909.113.2.247>
- Hasher L**, Zacks RT. Automatic and Effortful Processes in Memory. *J Exp Psychol: General.* 1979; 108:356-388. <http://dx.doi.org/10.1037/0096-3445.108.3.356>
- Hayward RD**, Taylor WD, Smoski MJ, Steffens DC, Payne ME. Association of five-factor model personality domains and facets with presence, onset, and treatment outcomes of major depression in older adults. *Am J Geriatr Psychiatry.* 2013; 1:88-96.
- Heatherton TF**. Neuroscience of self and self-regulation. *Annu Rev Psychol.* 2011; 62:363-390.
- Heim E**, Hehlert U, Hellhammer D. The potential role of hypocortisolism in the pathophysiology of stress-related bodily disorders. *Psychoneuroendocrinol.* 2000; 25: 1-35.
- Helmer C**, Montagnier D, Peres K. Descriptive epidemiology and risk factors of depression in the elderly. *Psychol Neuropsychiatr Vieil.* 2004 Sep; 2(1):7-12.
- Herrmann LL**, Goodwin GM, Ebmeier KP. The cognitive neuropsychology of depression in the elderly. *Psychol Med.* 2007; 37:1693-1702.
- Hickie I**, Scott E, Naismith S, Ward PB, Turner K, Parker G, et al. Late onset depression, genetic, vascular and clinical contributions. *Psychol Med.* 2001; 31:1403-1414.
- Hopkinson G**. A genetic study of affective illness in patients over 50. *BJP.* 1964; 110:224-254.

**Hoptman MJ**, Gunning-Dixon FM, Murphy CF, Lim KO, Alexopoulos GS. Structural neuroimaging research methods in geriatric depression. *Am J Geriatr Psychiatry*. 2006 Oct; 14(10):812-822.

**Horwath E**, Johnson J, Klerman G., Weissman MM. Depressive symptoms as relative and attributable risk factors for first-onset major depression. *Arch Gen Psychiatry*. 1992; 49(10):817-823.

**Hugdahl K**, Specht K, Biringer E, Weis S, Elliott R, Hammar A, Ersland L, Lund A. Increased Parietal and Frontal Activation after Remission from Recurrent Major Depression: A Repeated fMRI Study. *Cogn Ther Res*. 2007; 31:147-160.

**Jack CR**, Petersen RC, Xu YC, et al. Prediction of AD with MRI-based hippocampal volume in mild cognitive impairment. *Neurology*. 1999; 52(7): 1397-1403.

**Jacoby RJ**, Levy R. Computed tomography in the elderly. 3. Affective disorder. *Br J Psychiatry*. 1980; 136:270-275.

**Jacoby RJ**, Levy R, Bird JM. Computed tomography and the outcome of affective disorder: a follow-up study of elderly patients. *Br J Psychiatry*. 1981; 139:288-292.

**Janssen J**, Beekman AT, Comijs FI, Deeg DJ, Heeren TJ. Late-life depression: the differences between early-and late-onset illness in a community-based sample, *Int J Geriatr Psychiatry*. 2006; 21(1 ):86—93.

**Jorm AF**. Sex and age differences in depression: a quantitative synthesis of published research. *Aust N Z J Psychiatry*. 1987; 21(1):46-53.

**Judd LL**, Akiskal HS, Zeller PJ, Paulus M, Leon AC, Maser JD, et al. Psychosocial disability during the long-term course of unipolar major depressive disorder. *Arch Gen Psychiatry*. 2000; 5:375-380.

**Jungwirth S**, Zehetmayer S, Hinterberger M, Kudronovsky-Moser S, Weissgram S, Traglm KH, Fisher P. The Influence of Depression on Processing Speed and Executive Function in Nondemented Subjects Aged 75. *J hit Neuropsychol Soc*. 2011; 17:822-831.

**Kamiya Y**, Doyle M, Henretta JC, Timonen V. Depression in later life: The impact of early stressors, marital status and later life circumstances, [paa2013.princeton.edu/papers/130168](http://paa2013.princeton.edu/papers/130168)

**Kang SY**, Kim JS. Anterior cerebral artery infarction: stroke mechanism and clinical-imaging study in 100 patients. *Neurology*. 2008; 70:2386-2393.

**Kanner AM**. Depression in epilepsy: prevalence, clinical semiology, pathogenic mechanisms, and treatment. *Biol Psychiatry*. 2003; 54:388-398.

**Katon WJ**. Clinical and health services relationships between major depression, depressive symptoms, and general medical illness. *Biol Psychiatry*. 2003; 54:216-226.

**Katona CL**, Katona CP. New generation multi-modal antidepressants: focus on vortioxetine for major depressive disorder. *Neuropsychiatr Dis Treat*. 2014; 10:349-354.

- Katz R**, De Sanctis , Mahoney JR, Sehatpour P, Murphy Cp Gomez-Ramirez M, Alexopoulos GS, Foxe J. Cognitive Control in Late-Life Depression: Response Inhibition Deficits and Dysfunction of the Anterior Cingulate Cortex. *Am J Geriatr Psychiatry*. 2010; 18: 1017-1025. <http://dx.doi.org/10.1097/JGP.0b013e3181d695f2>
- Kemp DE**, Malhotra S, Franco KN, Tesar G, Bronson D. Heart disease and depression: Don't ignore the relationship. *Clev Clin J Med*. 2003; 70(9): 745-761.
- Kendler KS**, Neale MC, Kessler RC, Heath AC, Eaves LJ. The lifetime history of major depression in women. Reliability of diagnosis and heritability. *Arch Gen Psychiatry*. 1993a; 50:863-870.
- Kennedy N**, Abbott R, Paykel ES. Remission and recurrence of depression in the maintenance era: Long-term outcome in a Cambridge cohort. *Psychol Med*. 2003; 33:827-838.
- Kennedy N**, Paykel ES. Residual symptoms at remission from depression: Impact on long-term outcome. *J Affect Dis*. 2004; 80:135-144.
- Kessler RC**. The effects of stressful life events on depression. *Ann Rev Psychol*. 1997; 48: 191-201.
- Kessler RC**, Bimbaum H, Bromet E, et al. Age differences in major depression: results from the National Comorbidity Survey Replication (NCS-R). *Psychol Med*. 2010; 40:225-237.
- Klein DN**, Kotov R, Bufferd SJ. Personality and depression: explanatory models and review of the evidence. *Ann Rev Clin Psychol*. 2011; 7:269-295.
- Kling KC**, Ryff CD, Love G, Essex M. Exploring the influence of personality on depressive symptoms and self-esteem across a significant life transition. *Peis Soc Psy*. 2003; 85(5): 922-932.
- Koorevaar AML**, Cornijs HC, Dhondt ADF, van Marwijk HWJ, van der Mast RC, Naarding P, OudeVoshaar RC, Stek ML, et al. Big Five personality and depression diagnosis, severity and age of onset in older adults. *J Affec Dis*. 2013; 151 (1): 178-185. <http://dx.doi.Org/10.1016/j.jad.2013.05.075i>
- Kop W**, Gottdiener J. The Role of Immune System Parameters in the Relationship Between Depression and Coronary Artery Disease. *Psychosom Med*. 2005; 67(1):37-41.
- Korsnes MS**, Ulstein ID. Cognitive Effects of Late Life Depression: Review of Neuropsychological Findings. *JBehav Brain Sci*. 2014; 4:141-157.
- Koster EH**, De Lissnyder E, Derakshan N, De Raedt R. Understanding Depressive Rumination from a Cognitive Science Perspective: The Impaired Disengagement Hypothesis. *Clin Psychol Rev*. 2011; 31:138-145. <http://dx.doi.Org/10.1016/j.cpr.2010.08.005>
- Kotov R**, Gamez W, Schmidt F, Watson D. Linking "big" personality traits to anxiety, depressive, and substance use disorders: ameta-analysis. *Psychol Bull*. 2010; 136(5):768—821.

- Kraaij V**, Arensman , Spinhoven . Negative life events and depression in elderly persons: a meta-analysis. *J Gerontol B: Psychol Soc Sci.* 2002; 57:87-94.
- Krishnan KRR**, Delong M, Kraemer H, et al. Comorbidity of depression with other medical disease in the elderly. *Bioll Psychiatry.* 2002; 52 (6):559-588.
- Krishnan KR**, Taylor WD, McQuoid DR, McFall JR, Payne M, Provenzale JM, Steffens DC. Clinical Characteristics of Magnetic Resonance Imaging-Defined Subcortical Ischemic Depression. *Biol Psychiatry.* 2004;23:519-522. [http://dx.doi.org/10.1016/0006-3223\(88\)90025](http://dx.doi.org/10.1016/0006-3223(88)90025).
- Kroenke K**, Spitzer RL, Williams JB. The Patient Health Questionnaire- 2: validity of a two-item depression screener. *Med Care* 2003; 41:1284-1292.
- Kuller LH**, Lopez OL, Newman A, et al. Determinants of vascular dementia in the Cardiovascular Health Cognition Study. *Neurology*. 2005; 64:1548-1552.
- LaBar KS**, Cabeza R. Cognitive neuroscience of emotional memory. *Nat Rev Neurosci.* 20067(1):54-64.
- Lavretsky H**. Geriatric Depression: Does Gender Make a Difference? *Psychiatric Times*; October 01, 2002. [www.psychiatrictimes.com/.../geriatric-depression](http://www.psychiatrictimes.com/.../geriatric-depression).
- Lavretsky H**, Lesser IM, Wohl M, Miller BL. Relationship of age, age at onset, and sex to depression in older adults. *Am J Geriatr Psychiatry.* 1998; 6:248-256.
- Lebowitz BD**, Pearson JL, Schneider LS, Reynolds III CF, Alexopoulos GS, Bruce ML, et al. Diagnosis and treatment of depression in late life. Consensus statement update. *J Am Assoc.* 1997; 278( 14): 1186-1190.
- Lemogne C**, Niedhammer I, Khlatt M, Ravaud JF, Guillemin F, Consoli SM, Fossati P, Chau N; Lorhandicap group. Gender differences in the association between depressive mood and mortality:a 12-year follow-up population-based study. *J Affect Disord.* 2012 Feb;136(3):267-75. doi: 10.1016/j.jad.2011.11.041
- Leung KK**, Barnes J, Ridgway GR, Bartlett JW, Clarkson MJ, Macdonald K, Schuff N, Fox NC, Ourselin S. Automated cross-sectional and longitudinal hippocampal volume measurement in mild cognitive impairment and Alzheimer's disease. *Neuroimage.* 2010; 51(4): 1345-1359.
- Leys D**, Henon H, Kowiak-Cordoliani MA, Pasquier F, et al. Poststroke dementia. *Lancet Neurol.* 2005; 4:752-759.
- Lichtman JH**, Bigger JT, Blumenthal JA, Frasure-Smith N, Kauffmann PG, Lespérance F, Mark DB, Sheps DS, Taylor CB, Froelicher ES. Depression and Coronary Heart Disease Recommendations for Screening, Referral, and Treatment: A Science Advisory From the American Heart Association. *Circulation.* 2008; 118; 1768-1775.
- Lin EH**, Raton W, Von Korff M, Tang L, Williams JW, Jr, Kroenke K, et al; IMPACT investigators. Effect of improving depression care on pain and functional outcomes among older adults with arthritis, a randomized controlled trial. *J Am Med Assoc.* 2003; (18):2428-2429.

- Lindsay J**, Laurin D, Verreault R, et al. Risk factors for Alzheimer's disease: a prospective analysis from the Canadian Study of Health and Aging. *Am J Epidemiol.* 2002; 156(5):445-453.
- Liu CY**, Jiang XX, Zhu YH, Wei DN. Metabotropic glutamate receptor 5 antagonist 2-methyl-6-(phenylethynyl) pyridine produces antidepressant effects in rats: role of brain-derived neurotrophic factor. *Neuroscience.* 2012; 223:219-224.
- Lisanby SH**. Electroconvulsive therapy for depression. *N Engl J Med.* 2007;357:1939-1945.
- Liston C**, Chen AC, Zebley BD, Drysdale AT, Gordon R, Leuchter B, Voss HU, Casey BJ, Etkin A, Dubin MJ. Default mode network mechanisms of transcranial magnetic stimulation in depression. *Biol Psychiatry.* 2014;76(7):517-26. doi: 10.1016/j.biopsych.2014.01.023.
- Lockwood K**, Alexopoulos G, Kakuma T, van Gorp WG. Subtypes of cognitive impairment in depressed older adults. *Am J Geriatr Psychiatry.* 2000; 8:201-208.
- Lockwood KA**, Alexopoulos GS, van Gorp WG. Executive Dysfunction in Geriatric Depression. *Am J Psychiatry.* 2002; 159:1119-1126.
- Longstreth WT Jr**. Brain vascular disease overt and covert. *Stroke.* 2005; 36:2062-2063.
- Lucas RE**, Donnellan MB. Personality development across the lifespan: longitudinal analyses with a national sample from Germany. *J Pers Soc Psychol.* 2011; 101(4):847—861.
- Luchsinger JA**, Reitz C, Honig LS, Tang MX, Shea S, Mayeux R. Aggregation of vascular risk factors and risk of incident Alzheimer disease. *Neurology*. 2005; 65:545-551.
- Luisi S**, Tonetti A, Bernardi F, Casarosa E, Florio P, Monteleone P, et al. Effect of acute corticotropin releasing factor on pituitary-adrenocortical responsiveness in elderly women and men. *J Endocrinol Invest.* 1998; 21: 449-453.
- Luppino FS**, de Wit LM, Bouvy PF, et al. Overweight, Obesity, and Depression: A Systematic Review and Meta-analysis of Longitudinal Studies. *Arch Gen Psychiatry.* 2010; 67(3):220-229. doi: 10.1001/archgenpsychiatry.2010.2
- Maciejewski PK**, Prigerson HG, Mazure CM. Sex differences in event-related risk for major depression. *Psychol Med.* 2001; 31 (4):593-604.
- Machulda MM**, Ward HA, Borowski B, Gunter JL, Cha RH, O'Brien PC, et al. Comparison of memory fMRI response among normal, MCI, and Alzheimer's patients. *Neurology.* 2003; 61(4):500-506.
- Madureira S**, Guerreiro M, Ferro JM. A follow-up study of cognitive impairment due to inferior capsular genu infarction. *J Neurol.* 1999; 246:764-769.
- Magnil M**, Gunnarsson R, Björkstедt, Björkelundt C. Prevalence of depressive symptoms and associated factors in elderly primary care patients: A descriptive study. Primary Care Companion. *J Clin Psychiatry.* 2008; 10:462-468.

- Malhotra S**, Tesar GE, Franco K. The relationship between depression and cardiovascular disorders. *Curr Psychiatry Rep.* 2000; 2: 241-246.
- Malouff JM**, Thorsteinsson EB, Schutte NS. The relationship between five factor model of personality and symptoms of clinic disorders: a meta-analysis. *J Psychopathol Behav Assess.* 2005; 27 (2): 101-114.
- Mantini D**, Vanduffel W. Emerging roles of the brain's default network. *Neuroscientist.* 2013 Feb; 19(1):76-87. doi: 10.1177/1073858412446202.
- Massie MJ**. Prevalence of depression in patients with cancer. *J Natl Cancer Inst Monogr.* 2004; (32):57-71.
- Mazure C**, Maciejewski P, Jacobs S, Bruce M. Stressful life events interacting with cognitive/personality styles to predict late-onset major depression. *Am J Geriatr Psychiatr.* 2002; 10:297-304.
- McClintok SM**, Husain MM, Greer, TL, Cullum CM. Association between Depression Severity and Neurocognitive Function in Major Depressive Disorder: A Review and Synthesis. *Neuropsychol.* 2010 Jan; 24(1):9-34. doi: 10.1037/a0017336
- McConnell JFN**, Williams LJ, Dodd S, Berck M. The relationship between depression and cardiovascular disease. *Int J Psychiatry Clin Practice.* 2005; 9(3): 157-167. doi: 10.1080/13651500510029138
- McCrae RR**, Costa PT. The five factor theory of personality. *Handbook of Personality: Theory and Research.* Guilford Press, NY, 2008:159-181.
- McManus D**, Pipkin SS, Whooley MA. Screening for depression in patients with coronary heart disease (data from the Heart and Soul Study). *Am J Cardiol.* 2005; 96:1076-1081.
- Meeks TW**, Ropacki SA, Jeste DV. The neurobiology of neuropsychiatric symptoms in dementia. *Curr Opin Psychiatry.* 2006; 19:581-586.
- Mehta KM**, Yaffe K, Langa KM, Sands L, Whooley MA, Covinsky KE. Additive effects of cognitive function and depressive symptoms on mortality in elderly community-living adults. *J Gerontol A Biol Sci Med Sci.* 2003; 58(5):461—467.
- Menon V**. Large-scale brain networks and psychopathology: a unifying triple network model. *Trends Cogn Sci.* 2011; 15(10):483-506.
- Mesulam MM**. Large-scale neurocognitive networks and distributed processing for attention, language, and memory. *Ann Neurol.* 1990; 28:597-613.
- Mesulam MM**. The human frontal lobes: transcending the default mode through contingent encoding. In: Stuss DT, Knight RT, eds. *Principles of Frontal Lobe Function.* New York: Oxford University Press; 2002.
- Miller SL**, Fenstermacher E, Bates J, Blacker D, Sperling RA, Dickerson BC. Hippocampal activation in adults with mild cognitive impairment predicts subsequent cognitive decline. *J Neurol Neurosurg Psychiatry.* 2008; 79(6):630-635.

- Milner** , Petrides . Behavioral effects of frontal lobe lesions in man. *Trends Neuosci.* 1984;7:403-407.
- Modrego PJ**, Ferrandez J. Depression in patients with mild cognitive impairment increases the risk of developing dementia of Alzheimer type: a prospective cohort study. *Arch Neurol.* 2004; 61 (8): 1290-1293.
- Mooi B**, Comijs HC, Beekman AT, Kerkhof AJ. Stability of personality in later life. *Tijdschrift Voor Gerontologie en Geriatrie.* 2006; 37(4): 136-141. Review. Dutch.
- Morey LC**, Shea MT, Markowitz C, Stout **RL**, Hopwood CJ, Gunderson JG, Grilo CM, McGlashan TH, Yen S, Sanislow CA, Skodol AE. State effects of major depression on the assessment of personality and personality disorder. *Am J Psychiatry.* 2010; 167(5):528—535.
- Mortimer JA**. Do psychosocial risk factors contribute to Alzheimer's disease? In: Henderson, AS.; Henderson, JH., editors. *Etiology of Dementia of Alzheimer's Type.* Wiley; Chichester: 1988:39-52.
- Mulsant BH**, Blumberger DM, Ismail Z, Rabneru K, Rapoport MJ. A systematic approach to pharmacotherapy for geriatric major depression. *Clin Geriatr Med.* 2014; 30:517-534. doi: 10.1016/j.cger.2014.05.002.
- Murphy E**. Social origins of depression in old age. *BJP.* 1982; 141:135-142.
- Murphy CF**, Alexopoulos GS. Attention network dysfunction and treatment response of geriatric depression. *J Clin Exp Neuropsychol.* 2006; 28:96-100.
- Musselman DL**, Betan E, Larsen H, Phillips LS. Relationship of depression to diabetes types 1 and 2: epidemiology, biology, and treatment. *Biol Psychiatry.* 2003; 54:317-329.
- Musselman D**, Evans **D**. The relationship of depression to cardiovascular disease. *Arch Gen Psychiatry.* 1998; 55:580-592.
- Naz B**, Craig TJ, Bromet EJ, Finch SJ, Fochtmann LJ, Carlson GA. Remission and relapse after the first hospital admission in psychotic depression: A 4-year naturalistic follow-up. *Psychol Med.* 2007; 37:1173-1181.
- Nebes RD**, Butters MA, Mulsant BH, et al. Decreased working memory and processing speed mediate cognitive impairment in geriatric depression. *Psychol Med.* 2002; 30:679-691.
- Nelson JC**, Delucchi K, Schneider LS. Efficacy of second generation antidepressants in late-life depression: a meta-analysis of the evidence. *Am J Geriatr Psychiatry.* 2008;16:558-567.
- Nestler EJ**, Carlezon VA. The mesolimbic dopamine reward circuit in depression. *Biological psychiatry.* 2006; 59:1151-1159.
- Neu P**, Bajbouj M, Schilling A, Godemann F, Berman R. M, Schlattmann P. Cognitive function over the treatment course of depression in middle-aged patients: Con-elation with brain MRI signal hyperintensities. *JPs\_vchiatr Res.* 2005; 39:129-135.

- Neumann N-U**, Bretschneider S, Bullacher C, Hess R, Wittek R, Frasch K. Influence of different antidepressants on neurocognition of patients with depressive disorders. *Krankenhauspsychiatrie*. 2002; 13(2): 59-61.
- O'Brien JT**, Erkinjuntti T, Reisberg B, Roman G, Sawada T, Pantoni L, Bowler JV, Ballard C, DeCarli C, Gorelick PB, Rockwood K, Bums A, Gauthier S, DeKosky ST. Vascular cognitive impairment. *Lancet Neurol*. 2003 Feb; 2(2):89-98.
- O'Hara R**. The reciprocal relationship of neurocognitive and neuropsychiatric function in late life. *Am J Geriatr Psychiatry*. 2010; 20:1001-1005.
- Olver J**, Hopwood M. Depression and physical illness. *MJA Open*. 2012; 1 (4):9—12. doi: 10.5694/mjao.12.10597
- Ormel T**, Albertine ). Oldehinkel AJ, Brilman EI. The Interplay and Etiological Continuity of Neuroticism, Difficulties, and Life Events in the Etiology of Major and Subsyndromal, First and Recurrent Depressive Episodes in Later Life. *Am J Psychiatry* 2001; 158:885-891.
- Ott A**, Stolk RP, van Harskamp F, Pols FIA, Hofman A, Breteler MM. Diabetes mellitus and the risk of dementia: The Rotterdam Study. *Neurology*. 1999; 53:1937-1942.
- Paelecke-Habermann Y**, Pohl J, Leblow, B. Attention and executive functions in remitted depressed patients. *J Affect Dis*. 2005; 8:125-135.
- Palmer K**, Berger AK, Monastero R, Winblad B, Backman L, Fratiglioni L. Predictors of progression from mild cognitive impairment to Alzheimer disease. *Neurology* 2007; 88:1596-1602.
- Panza F**, Colacicco AM, D'Introno A, Colacicco AM Zenzola A, Menga R, et al. Impact of depressive symptoms on the rate of progression to dementia in patients affected by mild cognitive impairment. The Italian Longitudinal Study on Aging, *Int J Geriatr Psychiatry*. 2008; 23:726-743.
- Panza F**, Frisardi V, Capurso C, D'Introno A, Colacicco AM, Imbimbo BP, et al. Late-life depression, mild cognitive impairment, and dementia: possible continuum? *Am J Geriatr Psychiatry*. 2010 Feb; 18(2):98-116.
- Papazacharias A**, Logroscino G, Barulli MR, Nardini M. Late life depression and late onset depression: are the same clinical and pathophysiological picture? *Psychiatria Danubina* 2010; 22( 1): 108—110.
- Paradis AD**, Reinherz HZ, Giaconia RM, Fitzmaurice G. Major depression in the transition to adulthood: The impact of active and past depression in young adult functioning. *JNen' Ment Dis*. 2006; 194:318-323.
- Parker G**, Roy K, Hadzi-Pavlovic D, Mitchell P, Wilhelm K. Distinguishing early and late onset non-melancholic unipolar depression. *J Affect Disord*. 2003; 74:131-138.
- Pei Y**, Smith AK, Wang Y, Pan Y, Yang J, Chen Q, et al. The brain-derived neurotrophic-factor (BDNF) val66met polymorphism is associated with geriatric depression: a meta-analysis. *Am J Med Genet B Neuropsychiatr Genet*. 2012; 159B(5): 560-566. doi: 10.1002 ajmg.b.32062.



- Penninx BDJH**, Kritchevsky SB, Yaffe K. Inflammatory Markers and Depressed Mood in Older Persons, results from the Health, Aging and Body Composition Study. *Biol Psychiatry*. 2003; 54:566-572.
- Perren F**, Clarke S, Bogousslavsky J. The syndrome of combined polar and paramedian thalamic infarction. *Arch Neurol*. 2005; 62:1212-1216.
- Petersen RC**. Mild cognitive impairment as a diagnostic entity. *J Intern Med*. 2004; 256:183-94.
- Petersen RC**, Doody R, Kurz A, et al. Current concepts in mild cognitive impairment. *Arch Neurol*. 2001; 58: 1985-1992.
- Petersen RC**, Smith GE, Waring SC, et al. Mild cognitive impairment: clinical characterization and outcome. *Arch Neurol*. 1999; 56:303-308.
- Peterson BS**, Warner V, Bansal R, Zhu H, Hao X, Liu J, Durkin K, Adams PB, Wickramaratne P, Weissman MM. Cortical Thinning in Persons at Increased Familial Risk for Major Depression. *Proceedings of the National Academy of Science*. 2009; 106: 6273-6278.
- Pohjasvaara T**, Mantyla R, Aronen HJ, et al. How complex interactions of ischemic brain infarcts, white matter lesions, and atrophy relate to poststroke dementia. *Arch Neurol*. 2000;57:1295-1300.
- Potter G**, Steffens D. Contribution of depression to cognitive impairment and dementia in older adults. *The Neurologist*. 2007 May; 13(3): 105-117.
- Ptak R**. The Frontoparietal Attention Network of the Human Brain: Action, Saliency, and the Priority Map of the Environment. *Neuroscientist*. 2012; 18:502-515.
- Ramklint M**, Ekselius L. Personality traits and personality disorders in early onset versus late onset major depression. *J Affect Disord*. 2003; 75:35-42.
- Rapp MA**, Dahlman K, Sano M, et al. Neuropsychological differences between late-onset and recurrent geriatric major depression. *Am J Psychiatry*. 2005; 162:691-698.
- Reding M**, Haycox J, Blass J. Depression in patients referred to a dementia clinic. *Arch Neurol*. 1985; 42:894-896.
- Rhebergen D**, Huisman A, Bouckaert F, Kho K, KoK R, Sienaert P, Spaans HP, Stek M. Older age is associated with rapid remission of depression after electroconvulsive therapy: a latent class growth analysis. *Am J Geriatr Psychiatry*. 2015 Mar; 23(3):274-82. doi: 10.1016/j.jagp.2014.05.002.
- Richard E**, Reitz C, Devanand D, Schupf N, Mayeux R, Luchsinger J. Relation of late-life depression with MCI and dementia: Early symptom or risk factor? *Alzheimers Dement*. 2011 Jul; 7(4):600—601. <http://dx.doi.org/10.1016/j.jalz.2011.05.1704>
- Riva-Posse P**, Hermida AP, McDonald WM. The role of electroconvulsive and neuromodulation therapies in treatment of geriatric depression. *Psychiatr Clin North Am*. 2013; 36:607-630.

- Robinson RG.** Poststroke depression: prevalence, diagnosis, treatment, and disease progression. *Biol Psychiatry*. 2003; 54: 376-387.
- Roche RAP,** Garavan H, Foxe JJ, O'Mara SM. Individual Differences Discriminate Event-Related Potentials But Not Performance during Response Inhibition. *Exp Brain Res*. 2005;160:60-70. <http://dx.doi.org/10.1007/s00221-004-1985-z>
- Roman GC,** Sachdev P, Royall DR, Bullock RA, Orgogozo JM, López-Pousa S, et al. Vascular cognitive disorder: a new diagnostic category updating vascular cognitive impairment and vascular dementia. *JNeurol Sci*. 2004; 226:81-87.
- Romanelli J,** Fauerbach JA, Bush DE, Ziegelstein RC. The significance of depression in older patients after myocardial infarction. *J Am Geriatr Soc*. 2002; 50(5):817-822.
- Romeo R,** Knapp M, Hellier J, et al. Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. *Br J Psychiatry*. 2013; 202:121-128.
- Roth M.** The natural history of mental disorders in old age. *J Ment Sci*. 1955; 101:281-301.
- Rudisch B,** Nemeroff CB. Epidemiology of comorbid coronary artery disease and depression. *Biol Psychiatry* 2003; 54: 227-240.
- Sachdev P.** Vascular cognitive disorder. *Int J Geriatr Psychiatry* 1999; 14:402-403.
- Sachdev P,** Kalaria R, O'Brien J, Skoog I, Alladi S, Black SE, Blacker D, Blazer DG, Chen C, Chui H, Ganguli M, Jellinger K, Jeste DV, Pasquier F, Paulsen J, Prins N, Rockwood K, Roman G, Scheltens P; International Society for Vascular Behavioral and Cognitive Disorders. Diagnostic criteria for vascular cognitive disorders: a VASCOG statement. *Alzheimer Dis Assoc Disord*. 2014 Jul-Sep; 28(3):206-218.
- Salloway S,** Malloy P, Kohn R, et al. MRI and neuropsychological differences in early- and late-life-onset geriatric depression. *Neurology*. 1995;46:1567-1574.
- Salthouse TA.** The Processing-Speed Theory of Adult Age Differences in Cognition. *Psychol Rev*. 1996; 103: 403-428. <http://dx.doi.org/10.1037/0033-295X.103.3.403>
- Salthouse TA.** Consequences of Age-Related Cognitive Declines. *Ann Rev Psychol*. 2012; 63:201-226. <http://dx.doi.org/10.1146/annurev-psych-120710-100328>
- Sambataro F,** Blasi G, Fazio L, Caforio G, Taurisano P, Romano R, et al. Treatment with olanzapine is associated with modulation of the default mode network in patients with Schizophrenia. *Neuropsychopharmacol*. 2010; 35:904-912.
- Sambataro F,** Murty VP, Callicott JH, Tan HY, Das S, Weinberger DR, Mattay VS. Age-related alterations in default mode network: impact on working memory performance. *Neurobiol Aging*. 2010; 31:839-852.
- Sambataro F,** Murty VP, Lemaitre HS, Reed JD, Das S, Goldberg TE, Callicott JH, Weinberger DR, Mattay VS. BDNF modulates normal human hippocampal ageing [corrected]. *Mol Psychiatry*. 2010; 15(2): 116-118.

- Sambataro F**, Wolf DN, Giusti P, Vasic N, Wolf RC. Default Mode Network in Depression: A Pathway to Impaired Affective cognition. *Clin Neuropsychiatry*. 2013; 10(5):212-216.
- Sapolsky R**. Why stress is bad for your brain. *Science*. 1996; 273:749-750.
- Sapolsky R**. Depression, antidepressants, and the shrinking hippocampus. *Proceed Natl AcadSci USA*. 2001; 98:12320-12323.
- Satz P**. Brain reserve capacity on symptom onset after brain injury: A formulation and review of evidence of threshold theory. *Neuropsychol*. 1991; 7(3):273—295.
- Schmahmann JD**, Sherman JC. The cerebellar cognitive affective syndrome. *Brain*. 1998; 121:561-579.
- Schwarz M**. Cytokines, neurophysiology, neuropsychology and psychiatric symptoms. *Dialogues Clin Neurosci* 2003 Jun; 5(2): 139-153.
- Sheikh JI**, Salzman C. Anxiety in the elderly. Course and treatment. *Psychiatr Clin North Am*. 1995; 18(4):871-873.
- Sheline Y**. Neuroimaging studies of mood disorder effects on the brain. *Biol Psychiatry*. 2003; 54:338-352.
- Sheline YI**, Barch DM, Garcia K, et al. Cognitive function in late life depression: Relationships to depression severity, cerebrovascular risk factors and processing speed. *Biol Psychiatry*. 2006; 60:58-65.
- Sheline YI**, Barch DM, Price **JL**, Rundle MM, Vaishnavi SN, Snyder AZ, Mintun MA, Wang S, Coalson RS, Raichle ME. The default mode network and self-referential processes in depression. *PNAS* Feb 2009; 6:1942-1947.
- Sheline Y**, Mintun M, Moerlein S, Snyder A. Greater loss of 5-HT<sub>2A</sub> receptors in midlife than in late life. *Am J Psychiatry*. 2002; 159:430-435.
- Sheline YI**, Price JL, Yan Z, Mintun MA. Resting-state functional MRI in depression unmasks increased connectivity between networks via the dorsal nexus. *Proc Natl Acad Sci USA*. 2010; 107(24): 11020-11025.
- Sheline Y**, Wany **P**, Gado **M**, Csernansky **J**, Vannier **M**. Hippocampal atrophy in recurrent major depression. *Proc Natl Acad Sci USA*. 1996; 93:3908-3913
- Shulman GL**, Fiez JA, Corbetta M, Buckner **RL**, Miezin FM, et al. Common blood flow changes across visual tasks: II: decreases in cerebral cortex. *J Cog. Neurosci*. 1997; 9: 648-663.
- Seeley WW**, Menon V, Schatzberg AF, et al. Dissociable intrinsic connectivity networks for salience processing and executive control. *J Neurosci*. 2007; 27(9):2349-2356.
- Segal Z**, Shaw **B**, Vella **D**, Katz **R**. Cognitive and life stress predictors of relapse in remitted unipolar depressed patients: test of the congruency hypothesis. *J Abnorm Psychol*. 1992; 101:26-36.

- Seines** , Vinters HV. Vascular cognitive impairment. *Nat Clin Pract Neurol* 2006; 2:538-547. doi: 10.1038/ncpneuro0294
- Selye H.** *The Stress of Life* (rev. edn.). New York: McGraw-Hill, 1976.
- Selye H.** *Stress in health and disease*. Reading, MA: Butterworth, 1976.
- Serra-Millàs M**, López-Vilchez I, Navarro V, Galán AM, Escolar G, Penadés R, Catalán R, Fañanás L, Arias B, Gastó C. Changes in plasma and platelet BDNF levels induced by S-citalopram in major depression. *Psychopharmacol.* (Berl) 2011; 216:1-8.
- Smeltzer SC**, Bare BG. [Edrs], *Brunner and Suddarth's Textbook of Medical-Surgical Nursing. 10th edition*. Philadelphia: Lippincott Williams & Wilkins, 2004.
- Sneed JR**, Culang-Reinlieb ME. The vascular depression hypothesis: An update. *Am J Geriatr Psychiatry*. 2011 Feb; 19(2): 99-103.
- Sneed JR**, Kasen S, Cohen P. Early-life risk factors for late-onset depression. *Int J Geriatr Psychiatry*. 2007; 22(7):663-667.
- Stafford L**, Berk M, Jackson HJ. Validity of the Hospital Anxiety and Depression Scale and Patient Health Questionnaire-9 to screen for depression in patients with coronary artery disease. *Gen Hosp Psychiatry*. 2007; 29:417—424.
- Steffens DC**, Byrum CE, McQuoid DR, Greenberg DL, Payne ME, Blitchington TF, MacFall JR, Krishnan KR. Hippocampal volume in geriatric depression. *Biol Psychiatry* 2000; 48(4): 301-309.
- Steffens DC**, Otey E, Alexopoulos GS, Butters MA, Cuthbert B, Ganguli M, et al. Perspectives on depression, mild cognitive impairment, and cognitive decline. *Arch Gen Psychiatry*. 2006; 63(2): 130-138.
- Steffens D**, Payne M, Greenberg D, Byrum C, Welsh-Bohmer K, Wagner H, MacFall J. Hippocampal volume and incident dementia in geriatric depression. *Am J Geriatr Psychiatry*. 2002; 10: 62-71.
- Steffens DC**, Welsh-Bohmer KA, Burke JR, Plassman BL, Beyer JL, Gersing KR, Potter GG. Methodology and preliminary results from the neurocognitive outcomes of depression in the elderly study. *J Geriatr Psychiatry Neurol*. 2004; 17(4):202—211.
- Stern Y**. What is cognitive reserve? Theory and research application of the reserve concept. *J Int Neuropsychol Soc*. 2002; 8:448^160.
- Steunenberg B**, Beekman AT, Deeg DJ, Kerkhof A. Personality and the onset of depression in late life. *J Affect Disord*. 2006; 92:243-251.
- Steunenberg B**, Beekman AT, Deeg DJ, Bremmer MA, Kerkhof A. Mastery and neuroticism predict recovery of depression in later life. *Am J Geriatr Psychiatry*. 2007; 15(3): 234-242.
- Steunenberg B**, Braam AW, Beekman AT, Deeg DJ, Kerkhof A. Evidence for an association of the big five personality factors with recurrence of depressive symptoms in later life. *Int J Geriatr Psychiatry*. 2009; 24(12): 1470-1477.

- Steueneberg** , Twisk JW, Beekman AT, Deeg DJ, Kerkhof AJ. Stability and change of neuroticism in aging. *J Gerontol B: Psychol Sci Soc Sci*. 2005; 60( 1 ):27—33.
- Stoessel C**, Stiller J, Bleich S, et al. Differences and similarities on neuronal activities of people being happily and unhappily in love: a functional magnetic resonance imaging study. *Neuropsychobiol*. 2011; 64(1 ):52-60.
- Tan LC**. Mood disorders in Parkinson's disease. *Parkinsonism Relat Disord*. 2012; 18(1):74-76.
- Tapia-Arancibia L**, Aliaga E, Silhol M, Arancibia S. New insights into brain BDNF function in normal aging and Alzheimer disease. *Brain Res Rev*. 2008; 59(1 ):201-220.
- Taylor WD**, Züchner S, McQuoid DR, Payne ME, MacFall JR, Steffens DC, et al. The brain-derived neurotrophic factor VAL66MET polymorphism and cerebral white matter hyperintensities in late-life depression. *Am J Geriatr Psychiatry*. 2008; 16(4):263-271. doi: 10.1097/JGP.0b013e3181591c30
- Teixeira AL**, Barbosa IG, Diniz BS, Kummer A. Circulating levels of brain-derived neurotrophic factor: correlation with mood, cognition and motor function. *Biomark Med*. 2010; 4(6):871-887.
- Teng E**, Lu PH, Cummings JL. Neuropsychiatric symptoms are associated with progression from mild cognitive impairment to Alzheimer's disease. *Dement Geriatr Cogn Disord* 2007; 24(4):253-259.
- Teng E**, Tassniyam K, Lu PH. Reduced quality of life ratings in mild cognitive impairment: analyses of subject and informant responses. *Am J Geriatr Psychiatry*. 2010; 20:1016-1025.
- Teng PR**, Yeh CJ, Lee MC, Lin HS, Lai TJ. Change in depressive status and mortality in elderly persons: results of a national longitudinal study. *Arch Gerontol Geriatr*. 2013 Jan-Feb; 56(1):244-249. doi: 10.1016/j.archger.2012.08.006.
- Thase M**, Connolly KR. Unipolar depression in adults. *UpToDate*. 09 dec 2014.
- Thomas AJ**, Davis S, Morris C, Jackson E, Harrison R, O'Brien JT. Increase in interleukin -1beta in late-life depression. *Am J Psychiatry*. 2005; 162(1): 175-177.
- Thomas AJ**, Gallagher P, Robinson LJ, Porter RJ, Young AH, Ferrier IN, O'Brien, JT. A Comparison of Neurocognitive Impairment in Younger and Older Adults with Major Depression. *Rsync/jo/ Med*. 2009; 39:725-733. <http://dx.doi.org/10.1017/S0033291708004042>
- Thompson AH**. Younger onset of depression is associated with greater suicidal intent. *Soc Psychiatry Psychiatr Epidemiol*. 2008 Jul; 43(7):538-544. doi: 10.1007/s00127-008-0329-x
- Traykov L**, Baudic S, Raoux N, Latour F, Rieu D, Smaghe A, Rigaud AS. Patterns of memory impairment and perseverative behavior discriminate early Alzheimer's disease from subcortical vascular dementia. *J Neurol Sci*. 2005 Mar 15; 229-230: 75-79.

- Traykov L**, Baudic S, Thibaudet , Rigaud AS, Smagghe A, Boiler F. Neuropsychological deficit in early subcortical vascular dementia: comparison to Alzheimer's disease. *Dement Geriatr Cogn Disord*. 2002; 14(5): 26-32.
- Uniützer J**, Park M. Older adults with severe, treatment-resistant depression. *JAMA*. 2012; 308:909-918.
- van Orden K**, Conwell Y. Suicides in Late Life. *Chit Psychiatry Rep*. 2011 June; 13(3):234—241. doi: 10.1007/s 11920-011-0193-3.
- van den Kommer TN**, Comijs HC, Aartsen MJ, Huisman M, Deeg DJ, Beekman AT. Depression and Cognition: How Do They Interrelate in Old Age? *Am J Geriatr Psychiatry*. 2013;21:398-410.
- Vermeer SE**, Prins ND, Den Heijer T, et al. Silent brain infarcts and the risk of dementia and cognitive decline. *N Engl J Med*. 2003; 348:1215-1222.
- Vuorilehto M**, Melartin T, Isometsa E. Depressive disorders in primary care: Recurrent, chronic, and co-morbid. *Psychol Med*.2005; 35:673-682.
- Wang L**, Krishnan KR, Steffens DC, Potter GG, Dolcos F, McCarthy G. Depressive state and disease-related alterations in neural responses to affective and executive challenges in geriatric depression. *Am J Psychiatry*. 2008; 165(7):863—871.
- Weber K**, Giannakopoulos P, Bacchetta JP, Quast S, Herrmann F, Delaloye Christophe, Ghisletta Paolo, De Ribaupierre Anik, Canuto Alessandra. Personality traits are associated with acute major depression across the age spectrum. *Aging Ment Health*. 2012; 16(4):472-480.
- Weber K**, Giannakopoulos P, Canuto A. Exploring the impact of personality dimensions in late-life depression: from group comparisons to individual trajectories. *Curr Opin Psychiatry*. 2011; 24(6): 478-483.
- Weber K**, Giannakopoulos P, Delaloye C, deBilbao F, Moy G, Moussa A. Volumetric MR1 changes, cognition and personality traits in old age depression. *J Affect Dis*. 2010; 124(3):275—282.
- Weiss A**, Sutin AR, Duberstein PR, Friedman B, Bagby RM, Costa Jr PT. The personality domains and styles of the five-factor model are related to incident depression in Medicare recipients aged 65 to 100. *Am J Geriatr Psychiatry*. 2009; 17(7):591—601.
- Whitmer AJ**, Gotlib IH. Depressive rumination and the C957T polymorphism of the DRD2 gene. *Cogn Affect Behav Neurosci*. 2012; 12(4): 741-747.
- Whooley MA**, Avins AL, Miranda J, Brown WS. Case-finding instruments for depression: two questions are as good as many. *J Gen Intern Med*. 1997; 12:289-290.
- Whooley MA**, Simon GE. Managing depression in medical outpatients. *N Engl J Med*. 2000; 343:1942-1948.
- Wilhelm K**, Parker G, Dewhurst-Savellis J, Asghari A. Psychological predictors of single and recurrent major depressive episodes. *J Affect Dis*. 1999; 54: 139-147.

**Williams MS.** Platelets and depression in cardiovascular disease: A brief review of the current literature. *World J Psychiatr.* 2012 Dec 22; 2(6): 114-123. doi:10.5498/wjp.v2.i6.114

**Yaffe K,** Ettinger B, Pressman A. Neuropsychiatric function and dehydroepiandrosterone sulfate in elderly women: a prospective study. *Biol Psychiatry.* 1998; 43:694-700.

**Yue Y,** Yuan Y, Hou Z, Jiang W, Bay F, Zhang Z. Abnormal Functional Connectivity of Amygdala in Late-Onset Depression Was Associated with Cognitive Deficits. *Plos One* 2013 Sep; 8 (9)/e75058./www.plosone.org

**Young AH.** Recurrent unipolar depression requires prolonged treatment. *BJP.* 2001;178:294-295. doi: 10.1192/bjp. 178.4.294

**Zahodne LB,** Stem Y, Manly JJ. Depressive Symptoms Precede Memory Decline, but Not Vice Versa, in Non-Demented Older Adults. *J Am GeriatrSoc.* 2014 January; 62(1): 130-134.

**Zhu X,** Wang X, Xiao J, Liao J, Zhong M, Wang W, Yao S. Evidence of a dissociation pattern in resting -state default mode network connectivity in first-episode, treatment-naive major depression patients. *Biol Psychiatry.* 2012 Apr 1; 71 (7):611-617. doi: 10.1016/j.biopsych.2011.10.035.

**Zisook S,** Lesser I, Stewart JW, Wisniewski SR, Balasubramani GK, Fava M, et al. Effect of age at onset on the course of major depressive disorder. *Am J Psychiatry.* 2007 Oct; 164(10): 1539-1546.